



# Certified Washable Cut Resistant Glove Range



Product Guide

2022

# Glove Laundering Guide for Tilsatec PPE

**As a business are you looking to reduce your impact on the environment whilst still making cost effective purchasing decisions and maintaining the level of protection for your workforce?**

Through working with customers on a program of product development we can now offer a range of gloves and sleeves which are certified washable without any effect on mechanical performance or comfort allowing you to increase the longevity of your PPE.

As a key supplier into industries such as automotive, metal fabrication, glass and food manufacturing we also understand the need for industrial laundering in many applications which is why we have certified several high cut products to both the ISO15797 Industrial Wash Standard as well as ISO 6330 Domestic Wash Standard.



REDUCED WASTE



CERTIFIED  
PERFORMANCE  
AFTER WASHING



INDUSTRIAL &  
DOMESTIC WASHING




















**ISO 15797** is the International Standard that specifies test procedures in the evaluation of workwear and PPE intended to be industrially laundered.

**ISO 6330** is the International Standard that specifies domestic washing and drying procedures for textiles and PPE.

All tests required in these standards as well as in the specific standards for protective gloves shall be performed on unused gloves unless otherwise stated.

Care instructions are provided on product labels and in user information sheets for all certified washable PPE. The relevant performance standards have been tested on the gloves or sleeves, before and after they have been subjected to the recommended number of cleaning cycles using the claimed cleaning instructions. To view product user information sheets visit:

[tilsatec.com/resources/user-instructions](https://tilsatec.com/resources/user-instructions).

Code	Glove	Standards	Washing	Drying	No of Washes	Wash Standards
<b>53-7111</b>		EN388: 2016  4 X 4 3 F	40°	40°	x3	Industrial/Domestic  
<b>53-7112</b>		EN388: 2016  4 X 4 3 F	40°	40°	x3	Industrial/Domestic  
<b>53-3314</b>		EN388: 2016  4 X 4 2 C	40°	40°	x3	Industrial/Domestic  
<b>50-6111</b>		EN388: 2016  4 X 4 2 F	60°	40°	x5	Industrial 
<b>58-6120</b>		EN388: 2016  4 X 4 3 F	60°	60°	x5	Industrial/Domestic  



Code	Glove	Standards	Washing	Drying	No of Washes	Wash Standards
<b>50-6130</b> Medium weight cut level F latex palm coated glove		EN388: 2016  4 X 4 2 F	60°	40°	x5	Industrial/Domestic  
<b>55-5110</b> Lightweight cut level E PU palm coated glove		EN388: 2016  3 X 4 3 E	60°	40°	x5	Industrial/Domestic  
<b>55-5123</b> Lightweight cut level E fully coated nitrile glove with micropore foam nitrile palm		EN388: 2016  3 X 4 3 E EN407:2020  X 1 X X X X	60°	40	x5	Industrial 
<b>81-4121</b> Medium weight cool touch cut D sleeve with comfort cuff (adjustable strap)		EN388: 2016  3 X 4 X D	60°	40°	x5	Industrial 
<b>81-6121</b> Medium weight cool touch cut F sleeve with comfort cuff (adjustable strap)		EN388: 2016  3 X 4 X F	60°	40°	x5	Industrial 
<b>50-6121</b> Medium weight cut level F sandy nitrile palm coated glove with thumb reinforcement		EN388: 2016  4 X 4 3 F EN407:2020  X 1 X X X X	40°	Air Dry	x3	Industrial/Domestic  
<b>55-5120</b> Lightweight cut level E micropore nitrile coated glove		EN388: 2016  3 X 4 3 E	40°	Air Dry	x3	Industrial 
<b>53-7121</b> Lightweight cut level F sandy foam nitrile palm coated glove with reinforcement		EN388: 2016  4 X 4 2 F EN407:2020  X 1 X X X X	40°	Air Dry	x3	Industrial/Domestic  



Tilsatec | +44 (0)1924 375742 | [info@tilsatec.com](mailto:info@tilsatec.com) | [www.tilsatec.com](http://www.tilsatec.com)  
TILSATEC LIMITED, Flanshaw Lane, Wakefield, West Yorkshire, WF2 9ND, ENGLAND

