

# 84-3420/ 84-3520

20" FR cut resistant sleeve



## Features & Benefits

- EN388: 2016 level E cut resistance
- Rhino Yarn™ cut resistant technology
- Lightweight and loose fitting
- Inherently flame resistant
- EN407 burning behaviour level 3
- Hook and loop top fastening for adjustable secure fit
- Thumb slot to keep sleeve in place
- Available with a liner for enhanced comfort

84-3420 is a lightweight 20" woven sleeve with a flame resistant fabric providing EN388:2016 level E cut resistance and thermal protection.

Performing to EN407 burning behaviour level 3 the sleeve is designed to be used in and around welding operations where spark flash and weld spatter may be present.

## Applications / Industries

- Automotive industry
- Metal fabrication / stamping
- Manufacturing
- Aerospace

Code	Description	Gauge	Colour	Cuff Style	Length	Sizes	Packaging
84-3420	20" FR cut resistant sleeve	N/A	Yellow	Knit wrist w/ thumb slot	20"	one size	Packed per piece 100 pieces/carton
84-3520	20" FR cut resistant sleeve unlined	N/A	Yellow	Knit wrist w/ thumb slot	20"	one size	Packed per piece 100 pieces/carton

<http://tilsatec.com/products/84-3420-fr-cut-resistant-sleeve>

## Performance

EN388: 2016



3 X 4 1 E

EN407: 2004



3 1 X X 2 X



Made with Tilsatec Rhino Yarn technology. Produced in the UK and developed by Tilsatec's specialist team of yarn technologists to deliver the optimum in performance and comfort.

Tilsatec | +44 (0)1924 375742 | [info@tilsatec.com](mailto:info@tilsatec.com) | [www.tilsatec.com](http://www.tilsatec.com)

For businesses who want expertise they can rely on to keep their people safe, Tilsatec offer high performance hand and arm protection. We manufacture our own proprietary cut resistant yarn - the primary source of mechanical protection, on site in the UK. This means we can deliver maximum performance in every fibre of what we do. Because when our gloves perform at their best, your people can perform at their best.